



TAIL LIFT

CONVENTIONAL SERIES

FTC-600

FOR PICK-UP AND LIGHT WEIGHT TRUCK



Fleet Tail Lift Conventional series FTC-600

Our Tail Lifts are designed and manufactured in-house, giving us complete control over quality, reliability and including after sales service .

From the robust structural frames to our precision-engineered hydraulic cylinders, every component is produced by our own skilled team. We have many designs to suit with customers' needs with ***lifting capacity 600 kg***, ranging from rigid, mesh, and folding platforms with materials available in steel and aluminum.

- Head Office : 038-195-780, FAX: 038-195-782
- Sales : 081-809-1198, 094-323-9695
- Service : 080-236-3239
- Email : sales@fleet.co.th

FLEET ENGINEERING COMPANY LIMITED.
223/39 Moo.3 Banbueng, Ban Bueng District,
Chonburi 20170 THAILAND




Line: @Fleet24

For More Information
www.fleet.co.th



STRUCTURE & FEATURES



*****AUTO LEVELING AT GROUND FLOOR*****

OPERATION CONTROL

The control box

This conventional series is the most simple and convenient to use with only 2 buttons for operation (UP & DOWN) and cut-out switch for safety issue. The control box can be closed and locked BY key.



**LOCKABLE
WEATHERPROOF**

Remote

In addition, Fleet truly understands real-world operations. That's why we provide a 2-button remote with a plug-in power connection for greater convenience in use.



IP65

Safety Chain

For ultimate safety, Fleet tail lifts are equipped with a safety chain to prevent the platform from falling under any circumstances.



- Head Office : 038-195-780, FAX: 038-195-782
- Sales : 081-809-1198, 094-323-9695
- Service : 080-236-3239
- Email : sales@fleet.co.th

FLEET ENGINEERING COMPANY LIMITED.
223/39 Moo.3 Banbueng, Ban Bueng District,
Chonburi 20170 THAILAND




Line: @Fleet24


For More Information
www.fleet.co.th



RIGID PLATFORM



FOLDING PLATFORM



TECHNICAL DATA

Description		FTC-600C	FTC-600CL	FTC-600M	FTC-600E	FTC-600EL	FTC-600SM	FTC-600SE
Lifting capacity (Kg.)		600						
Platform	Type	Rigid					Folding	
	Material	Steel		Mesh	Alu		Mesh	Alu
Dimension (mm.)	A	1750 Max.						
	B	1000	1500	1000	1000	1500	625 + 375	
Approx. Weight (Kg.)		200	250	190	180	220	190	180
Fitting range (mm)		800 - 1100						
Cart stop (Optional)		NONE			YES	YES	NONE	YES

