



WHEELCHAIR HOIST

FOR MORE ACCESSIBILITY









Fleet Engineering Wheelchair Hoist

FLEET offers a simple and fully automatic solution for transporting wheelchairs in vehicles. The system is equipped with a remote-control switch, ensuring safety and providing a smooth, enjoyable mobility experience. This type of wheelchair lift gate is a hydraulic platform typically installed at the rear of a vehicle, allowing wheelchair users to be mechanically lifted in and out with ease. It is also convenient for lifting cargo in and out of the vehicle using the same system, making it a versatile solution for both personal and commercial use.



- Head Office: 038-195-780, FAX: 038-195-782
- Sales: 081-809-1198, 094-323-9695
- Service: 080-236-3239
- Email:sales@fleet.co.th








FLEET ENGINEERING COMPANY LIMITED.

223/39 Moo.3 Banbueng, Ban Bueng District,
Chonburi 20170 THAILAND

STRUCTURE & FEATURES





AUSTRALIA EXPORT QUALITY

OPERATION CONTROL

The control box is equipped with a cut-out switch that must be activated before use. A warning light on the hoist indicates when it is in operation.

For split platform models, operation is managed via a 4-button remote (Up, Down, Fold, Unfold). For safety, the platform cannot be folded until it has been fully raised.









Safety Hook

In the event of hydraulic oil leakage, a safety hook is in place to prevent the platform from falling.



• Sales: 081-809-1198, 094-323-9695

• Service: 080-236-3239

• Email:sales@fleet.co.th







SPECIFICATIONS





Full Rigid Platform



Split Platform

TECHNICAL DATA

Description		FTD350L	FTD350H	FTD350B
Lifting capacity (Kg)		350	350	350
Platform	Туре	Split Full		
	Material	Steel Mesh		
	Dimension (mm)	760 x 1045	760 x 1045 850 x 1300	
Approx.weight (Kg)		140	160	170
Fitting Height max. (mm)		700	1000	1300
Clear door open requirement (mm)		1115 x 1200	1200 x 1450	1200 x 1650



- Head Office: 038-195-780, FAX: 038-195-782
- Sales: 081-809-1198, 094-323-9695
- Service: 080-236-3239
- Email:sales@fleet.co.th





